



**Performance Range**

1750 RPM




3500 RPM



## TH 25-150




## Single Stage Closed Impeller



## TH 25-200


## Single Stage Closed Impeller

Number/Version	Impeller	Diameter	Width	Suction	Discharge	Speed (1/min)
October/15 Applies to clean water at 68°F		214/150 mm	6 mm	40 mm 1-1/2"	25 mm 1"	1750 rpm




## TH 32-125.1

## Single Stage Closed Impeller




## TH 32-125

## Single Stage Closed Impeller




## TH 32-160.1

## Single Stage Closed Impeller




## TH 32-160

## Single Stage Closed Impeller



## TH 32-200


## Single Stage Closed Impeller






## TH 32-250.1

## Single Stage Closed Impeller




## TH 32-250

## Single Stage Closed Impeller




## TH 40-125

## Single Stage Closed Impeller




## TH 40-160

## Single Stage Closed Impeller




## TH 40-200

## Single Stage Closed Impeller




## TH 40-250

## Single Stage Closed Impeller




## TH 40-315

## Single Stage Closed Impeller



## TH 50-125


## Single Stage Closed Impeller






## TH 50-160

## Single Stage Closed Impeller




## TH 50-200

## Single Stage Closed Impeller




## TH 50-250

## Single Stage Closed Impeller




## TH 50-315

## Single Stage Closed Impeller




## TH 65-125

## Single Stage Closed Impeller




## TH 65-160

## Single Stage Closed Impeller




## TH 65-200

## Single Stage Closed Impeller



## TH 65-250


## Single Stage Closed Impeller






## TH 65-315

## Single Stage Closed Impeller




## TH 80-160

## Single Stage Closed Impeller




## TH 80-200

## Single Stage Closed Impeller




## TH 80-250

## Single Stage Closed Impeller




## TH 80-315

## Single Stage Closed Impeller




## TH 80-400

## Single Stage Closed Impeller



## TH 100-160




## Single Stage Closed Impeller



## TH 100-200

## Single Stage Closed Impeller


Number/Version	IMPELLER	Diameter	Width	Suction	Discharge	Speed (1/min)
May/16		219/179 mm	32 mm	125 mm 5"	100 mm 4"	1750 rpm
Applies to clean water at 68°F						






## TH 100-250

## Single Stage Closed Impeller




## TH 100-315

## Single Stage Closed Impeller




## TH 100-400

## Single Stage Closed Impeller




## TH 125-200

## Single Stage Closed Impeller




## TH 125-250

## Single Stage Closed Impeller




## TH 125-315

## Single Stage Closed Impeller




## TH 125-400

## Single Stage Closed Impeller



## TH 150-200


## Single Stage Closed Impeller






## TH 150-250

## Single Stage Closed Impeller




## TH 150-315

## Single Stage Closed Impeller




## TH 150-400

## Single Stage Closed Impeller



## TH 150- 500

## Single Stage Closed Impeller




# EBARA TH SERIES 3500 RPM CURVES



## TH 25-150


## Single Stage Closed Impeller






## TH 25- 200

## Single Stage Closed Impeller



## TH 32-125.1


## Single Stage Closed Impeller






## TH 32-125

## Single Stage Closed Impeller




## TH 32-160.1

## Single Stage Closed Impeller




## TH 32-160

## Single Stage Closed Impeller



TH 32-200

Single Stage Closed Impeller






**EBARA**

EBARA International Corporation, Fluid Handling Division  
www.pumpsebara.com

## TH 32-250.1


## Single Stage Closed Impeller

Number/Version	IMPELLER	Diameter	Width	Suction	Discharge	Speed (1/min)
January/16		260/210 mm	8 mm	50 mm 2"	32 mm 1-1/4"	3500 rpm
Applies to clean water at 68°F						




## TH 32-250

## Single Stage Closed Impeller




## TH 40-125

## Single Stage Closed Impeller



## TH 40-160


## Single Stage Closed Impeller






## TH 40-200

## Single Stage Closed Impeller




## TH 40-250

## Single Stage Closed Impeller




## TH 40-315

## Single Stage Closed Impeller




## TH 50-125

## Single Stage Closed Impeller




## TH 50-160

## Single Stage Closed Impeller




## TH 50-200

## Single Stage Closed Impeller




## TH 50-250

## Single Stage Closed Impeller



## TH 50-315


## Single Stage Closed Impeller






## TH 65-125

## Single Stage Closed Impeller




## TH 65-160

## Single Stage Closed Impeller




## TH 65-200

## Single Stage Closed Impeller




## TH 65-250

## Single Stage Closed Impeller




## TH 80-160

## Single Stage Closed Impeller




## TH 80-200

## Single Stage Closed Impeller




## TH 80-250

## Single Stage Closed Impeller



## TH 100-160

## Single Stage Closed Impeller





## TH 100-200

## Single Stage Closed Impeller

