

## Performance Curves for the 430 Series (50 Hz)


MODEL/SIZE	R.P.M.	PDF PAGE
1-1/2x3x9	2880	2
1-1/2x3x9	1440	3
2x4x9	2880	4
2x4x9	1440	5



**AURORA®**  
Pentair Pump Group

**1-1/2x3x9 - 2880 RPM**  
**ENCLOSED IMPELLER**

SECTION **430 (Metric 50Hz)**  
DATE **JULY 1994**  
SUPERCEDES MARCH 1986



SECTION 430 (Metric 50Hz)

DATE JULY 1994


SUPERCEDES MARCH 1986


1-1/2x3x9 - 1440 RPM

ENCLOSED IMPELLER

**ap AURORA®**

Pentair Pump Group






SECTION 430 (Metric 50Hz)  
 DATE JULY 1994  
 SUPERCEDES MARCH 1986

# 2x4x9 - 1440 RPM ENCLOSED IMPELLER

**ap AURORA®**  
 Pentair Pump Group

SIZE: 2X4X9 TYPE: 430 IMPELLER: ENCLOSED R.P.M.: 1440

MAX. SPHERES 8 mm  
 IMP. PATT. NO. 1-7-A35  
 CASE PATT. NO.  
 180A184 UPPER (ALL)  
 180A186 LOWER (431)  
 LOWER (432 & 433)  
 MIN. IMP. DIA. 121 mm



DRAWN BY: *AP* APPROVED BY: *DL* DATE: 7-94 PC-116121M